

Shower Products
& Grab Rails






Grab Rails

All ASI JD MacDonald grab rails are fabricated of grade 304 stainless steel with a satin, polished or matte black finish. A vast range of configurations are available to accommodate a variety of toilet settings, including accessible compliant spaces.

SHOWN: JDM-GFN-8 TOILET GRAB RAIL—SLOPING ARM 40 DEGREES FROM HORIZONTAL



 **JDM-GNN-9 (LH OR RH)**
TOILET GRAB RAIL—SLOPING ARM 90 DEGREES FROM HORIZONTAL

Satin stainless steel.

MODEL OPTION:
JDM-GNN-9 (LH or RH)-P Polished finish.

Overall Size:
965 x 600 mm



 **JDM-GFN-8 (LH OR RH)**
TOILET GRAB RAIL—SLOPING ARM 40 DEGREES FROM HORIZONTAL

Satin stainless steel.


MODEL OPTION:
JDM-GFN-8(LH or RH)-P Polished finish.

JDM-GTP-8 (LH or RH) 2 Piece Toilet Grab Rail, includes 1 x JDM-GFN-8 and 1 x JDM-GSN-3.

JDM-GTP-8(LH or RH)-P Polished finish.

Overall Size:
840 x 700 mm



 **JDM-GNN-11 (LH OR RH)**
TOILET GRAB RAIL—SLOPING ARM 90 DEGREES FROM HORIZONTAL

Satin stainless steel.

MODEL OPTION:
JDM-GNN-11(LH or RH)-P Polished finish.

Overall Size:
1110 x 1040 x 600 mm



 **JDM-GFN-1 (LH OR RH)**
TOILET GRAB RAIL—SLOPING ARM 40 DEGREES FROM HORIZONTAL

Satin stainless steel.

MODEL OPTION:
JDM-GFN-1(LH or RH)-P Polished finish.

Overall Size:
1110 x 950 x 700 mm

TOILET ASSIST GRAB RAILS



 **JDM-GAL**
TOILET GRAB RAIL—AMBULANT L
SHAPE X 2 = 1 PAIR

Satin stainless steel.

MODEL OPTION:
JDM-GAL-P Polished finish.
JDM-GAL-P-41 Matte black finish.

Overall Size:
450 x 450 mm




 **JDM-GSN-(3-20)**
STRAIGHT GRAB RAIL

Satin stainless steel.

MODEL OPTION:
JDM-GSN-(3-20)-P Polished finish.
JDM-GSN-3-41 Matte black finish.
JDM-GSN-45-41 Matte black finish.
JDM-GSN-6-41 Matte black finish.

Overall Size:
300 - 2000 mm



 **JDM-GTP-9 (LH OR RH)**
2 PIECE TOILET GRAB RAIL -
SLOPING ARM 90 DEGREES FROM
HORIZONTAL + STRAIGHT 300 MM

Satin stainless steel.

MODEL OPTION:
JDM-GTP-9 (LH or RH)-P Polished
finish.
JDM-GTP-9 (LH or RH)-41 Matte
black finish.

Overall Size:
965 x 600 mm + 300 mm



 **JDM-GOR**
TOILET GRAB RAIL—WALL TO
FLOOR WITH OUTRIGGER

Satin stainless steel.

MODEL OPTION:
JDM-GOR-P Polished finish.

Overall Size:
800 x 900 x 300 mm



JDM-GDD
GRAB RAIL—DROP DOWN

Satin stainless steel. Adjustable to 3
positions.

MODEL OPTION:
JDM-GDD-P Polished finish.
JDM-GDD-TRH with Toilet Roll Hook.
JDM-GDD-TRH-P Polished finish.

Overall Size:
800 x 300 mm



JDM-GDD-STL
GRAB RAIL TOILET DROP DOWN
WITH LOCK

Satin stainless steel.

MODEL OPTION:
JDM-GDD-STL-P Polished finish.

Overall Size:
800 x 300 mm

GRAB RAILS WITH GERM SHIELD

ASI JD MacDonald offer a range of grab rails that include Germ Shield; a specially engineered design that includes both an internal and external rubber seal for added hygienic protection.

Germ Shield is designed to provide an additional barrier to help prevent build-up under the flange of soap scum, body fluids and other unwanted bacteria creating fluids.

WHAT MAKES GRAB RAILS WITH GERM SHIELD UNIQUE?

304
STAINLESS
STEEL

STAINLESS STEEL CONSTRUCTION

Made of high quality 304 stainless steel which is tough, durable, stain resistant and easy to clean.

HYGENIC

HYGENIC

Protective rubber seals prevent the build-up of unwanted and unhygienic bacteria behind the flange.

EASY
TO INSTALL


EASY INSTALLATION

Simply unscrew the Flange Cover and use the Flange as a guide to mark the wall surface and sit the External Rubber Seal on the Flange and fit to the wall using the guide marks.



COMPLIANT

Suitable for use in Accessible Compliant washrooms in accordance with AS1428.1-2009.




GRAB RAILS WITH GERM SHIELD FEATURES

- Easy to use
- Sanitary, safe and strong
- Easy to clean
- Durable

TOILET ASSIST GRAB RAILS WITH GERM SHIELD




 **JDM-GSS-(3-7)**
STRAIGHT GRAB RAIL WITH GERM SHIELD

Satin stainless steel.

MODEL OPTION:
JDM-GSS-(3-7)-P Polished finish.

Overall Size:
300 - 700 mm



 **JDM-GNS-9 (LH OR RH)**
GRAB RAIL—SLOPING ARM 90 DEGREES WITH GERM SHIELD

Satin stainless steel.

MODEL OPTION:
JDM-GNS-9(LH or RH)-P Polished finish.

Overall Size:
965 x 600 mm



 **JDM-GFS-8 (LH OR RH)**
GRAB RAIL—SLOPING ARM 40 DEGREES WITH GERM SHIELD

Satin stainless steel.

MODEL OPTION:
JDM-GFS-8(LH or RH)-P Polished finish.

Overall Size:
840 x 700 mm



 **JDM-GFS-1 (LH OR RH)**
GRAB RAIL—SLOPING ARM 40 DEGREES WITH GERM SHIELD

Satin stainless steel.

MODEL OPTION:
NEW JDM-GFS-1(LH or RH)-P Polished finish.

Overall Size:
1110 x 950 x 700 mm

 **JDM-GNS-1 (LH OR RH)**
GRAB RAIL—SLOPING ARM 90 DEGREES WITH GERM SHIELD

Satin stainless steel.

MODEL OPTION:
NEW JDM-GNS-1(LH or RH)-P Polished finish.

Overall Size:
1110 x 1040 x 600 mm

BACK RESTS

FOR NEW AND EXISTING ACCESSIBLE TOILETS

Made specifically for use within accessible toilets, the ASI JD MacDonald Back Rest is accessible compliant and designed for people who require extra assistance.

Australian made and AS1428.1-2009 compliant, the ergonomically designed modular back rest is available with either a polyurethane padded waterproofed back or the vandal proof satin stainless steel back.

WHAT MAKES OUR BACK RESTS UNIQUE?

**SAFE &
SECURE**

DESIGN FEATURES

Designed for safety, security and convenience for those who require special assistance, the ASI JD MacDonald Back Rest is manufactured from 304 grade stainless steel, providing maximum strength and user confidence.

Suitable for
Exposed or
Concealed
Cisterns

ADAPTABLE

The ASI JD MacDonald Back Rest range is adaptable to different cisterns and is designed in two varying shapes which are cut to size on site to ensure a perfect fit every time. Grab Rail Combination Kits (for use with exposed cisterns) easily connect to the Dropped Arm Back Rest design giving an appealing aesthetic with less unsightly flanges crowding your walls. Also available is the ASI JD MacDonald Straight Arm Back Rest to suit concealed cisterns.

**AS1428.1-2009
COMPLIANT**

COMPLIANT

Tested to comply with AS1428.1-2009 and comes with a 12 month warranty.

BACK RESTS FEATURES

- Ergonomically designed
- Options available for vandal prone areas
- Durable
- Easy to clean

TOILET ASSIST BACK RESTS



PBR35 POLYURETHANE STRAIGHT ARM BACK REST

The ASI JD MacDonald Straight Arm Back Rest is ideal for use in accessible toilets where grab rails are required for use with concealed cisterns. Ergonomically designed, the polyurethane padded back rest is waterproof, fully welded and finished in a 304 grade satin stainless steel. This unit is designed to give maximum strength and confidence.

MODEL OPTION:

PBR35SS Similar to PBR35 but with welded satin stainless steel back rest for use in high vandal prone areas within accessible toilets.




PBR35A POLYURETHANE DROPPED ARM BACK REST

For use in fully refurbished or new accessible toilets and used in conjunction with the grab rail attachments displayed below. Minimises the clutter of unsightly flanges surrounding the grab rails by using a modular connected system which meets Australian Standards. This unit is designed to give maximum strength and user confidence for use with exposed cisterns.

MODEL OPTION:

PBR35ASS Similar to PBR35A but with welded satin stainless steel back rest for use in high vandal prone areas within accessible toilets.




GRE07 (LH or RH) GRAB RAIL 90 DEGREES

Used in conjunction with the ASI JD MacDonald Dropped Arm Back Rest for exposed cisterns. Fully welded construction in a 304 grade satin stainless steel finish, AS1428.1-2009 compliant, designed for safety and security. Easy to install. Requires a nominated handing of left (LH) or right (RH).

Overall Size:

600 mm x 1050 mm




GRE08 (LH or RH) GRAB RAIL 40 DEGREES

Used in conjunction with the ASI JD MacDonald Dropped Arm Back Rest for exposed cisterns. Fully welded construction in a 304 grade satin stainless steel finish, AS1428.1-2009 compliant, designed for safety and security. Easy to install. Requires a nominated handing of left (LH) or right (RH).

Overall Size:

700 mm x 950 mm




GRE300 GRAB RAIL STRAIGHT

Used in conjunction with the ASI JD MacDonald Dropped Arm Back Rest for exposed cisterns. Fully welded construction in a 304 grade satin stainless steel finish, AS1428.1-2009 compliant, designed for safety and security. Easy to install.

Overall Size:

300 mm




 **JDM-GIT-7 (LH OR RH)**
INVERTED 'T' HORIZONTAL & VERTICAL SHOWER GRAB RAIL — 1 PIECE

Satin stainless steel.

MODEL OPTION:
JDM-GIT-7(LH or RH)-P Polished finish.

Overall Size:
 700 × 1100 mm




 **JDM-GEC-1 (LH OR RH)**
EXTENDED COMBINATION HORIZONTAL & VERTICAL SHOWER GRAB RAIL — 1 PIECE

Satin stainless steel.

MODEL OPTION:
JDM-GEC-1(LH or RH)-P Polished finish.

Overall Size:
 1000 × 760 × 1100 mm



 **GCSS1040E**
SHOWER GRAB RAIL STRAIGHT — CLEAN SEAL SYSTEM WITH EASY SLIDER + SK-HSKF SHOWER KIT + GRSS-ESH HANDLE

MODEL OPTION:
GCSS1040E-P Polished finish.

Overall Size:
 1040 mm



 **GRCSES29 (LH OR RH)**
SHOWER GRAB RAIL — CLEAN SEAL SYSTEM WITH EASY SLIDER + GRSS-ESH HANDLE

MODEL OPTION:
GRCSES29(LH or RH)-P Polished finish.

Overall Size:
 700 × 1100 mm



 **GCS34 (LH OR RH)**
SHOWER GRAB RAIL — CLEAN SEAL SYSTEM WITH EASY SLIDER + GRSS-ESH HANDLE

MODEL OPTION:
GCS34(LH or RH)-P Polished finish.

Overall Size:
 1000 × 760 × 1100 mm

SHOWER PRODUCTS



GRSS-SK1
**SHOWER KIT—INCLUDES HANDSET, 1.5M HOSE, NON
 RETURN VALVE & WALL OUTLET**

Not suitable for use with grab rails.

SK-HSKF
**SHOWER KIT—INCLUDES HANDSET, 1.5M HOSE, NON
 RETURN VALVE & WALL OUTLET**

Can be used with **GRCSES29** & **GCS34**



GRSS-ESH
**EASY SLIDE HANDLE—OPTIONAL
 ACCESSORY FOR SHOWER RAILS
 WITH SLIDERS**

Recommended for seated users.



GRCS11
**SHOWER CRADLE—FOR STANDARD
 32MM DIAMETER GRAB RAILS**



GRSC11SD
**SHOWER CRADLE & SOAP DISH FOR
 STANDARD 32MM DIAMETER GRAB
 RAILS**

SHOWER PRODUCTS



JDMTRACK SHOWER CURTAIN TRACKS

Various straight and 'L' shape lengths available. Tracks can be cut to size on site. Shower tracks come with hooks (curtains to be ordered separately). Custom sizes available on request.

Code	Shape	Size	1000 mm Ceiling Support	Finish
JDMTRACK-L1000	L-shape	1000x1000 mm	Yes	White
JDMTRACK-L1200	L-shape	1200x1200 mm	Yes	White
JDMTRACK-L1200A	L-shape	1200x1200 mm	Yes	Anodised
JDMTRACK-L1600	L-shape	1600x1600 mm	Yes	White
JDMTRACK-S1000	Straight	1000 mm	No	White
JDMTRACK-S1200	Straight	1200 mm	No	White
JDMTRACK-S1500	Straight	1500 mm	No	White
JDMTRACK-S2000	Straight	2000 mm	Yes	White



JDMROD SHOWER CURTAIN RODS

Satin stainless steel. Various straight and 'L' shape lengths available. Available with fixed or loose end flanges. Custom sizes available on request.

Code	Shape	Size	Fixed or Loose End Flanges	1000 mm Ceiling Support	Curtains Required
JDMROD-L1000	L-shape	1000x1000 mm	Fixed	Yes	2
JDMROD-L1200	L-shape	1200x1200 mm	Fixed	Yes	2
JDMROD-L1200-M	L-shape	1200x1200 mm	2xLoose	Yes	2
JDMROD-L1600-M	L-shape	1600x1600 mm	2xLoose	Yes	2
JDMROD-S1000	Straight	1000 mm	Fixed	No	1
JDMROD-S1200	Straight	1200 mm	Fixed	No	1
JDMROD-S1200-M	Straight	1200 mm	1xLoose	No	1
JDMROD-S1500-M	Straight	1500 mm	1xLoose	No	1
JDMROD-S2000	Straight	2000 mm	Fixed	Yes	1




JDMCURT-NT SHOWER CURTAIN NYLON TAFETA WHITE WEIGHTED

Various widths x 1800mm drop length (hooks to be ordered separately. 8 hooks required per metre). Custom sizes available on request.

Code	Material	Width	Drop
JDMCURT-NT-1118	Nylon Taffeta	1100 mm	1800 mm
JDMCURT-NT-1318	Nylon Taffeta	1300 mm	1800 mm
JDMCURT-NT-1618	Nylon Taffeta	1600 mm	1800 mm
JDMCURT-NT-2218	Nylon Taffeta	2200 mm	1800 mm
JDMCURT-NT-2518	Nylon Taffeta	2500 mm	1800 mm
JDMCURT-NT-3018	Nylon Taffeta	3000 mm	1800 mm

MODEL OPTION:

10-1200-SHU Shower curtain hook.



JDMCURT-BSP SHOWER CURTAIN BOX STRIPE WHITE POLYESTER

Various widths x 1800mm drop length (hooks to be ordered separately. 8 hooks required per metre). Custom sizes available on request.

Code	Material	Width	Drop
JDMCURT-BSP-1118	Box Stripe Polyester	1100 mm	1800 mm
JDMCURT-BSP-1318	Box Stripe Polyester	1300 mm	1800 mm
JDMCURT-BSP-1618	Box Stripe Polyester	1600 mm	1800 mm
JDMCURT-BSP-2218	Box Stripe Polyester	2200 mm	1800 mm
JDMCURT-BSP-2518	Box Stripe Polyester	2500 mm	1800 mm
JDMCURT-BSP-3018	Box Stripe Polyester	3000 mm	1800 mm

MODEL OPTION:

10-1200-SHU Shower curtain hook.

SHOWER SEATS




SS600S
FOLDING SHOWER SEAT – SATIN STAINLESS STEEL/WHITE ACRYLIC DECK

Overall Size:
 600 x 400 mm

SS350 350 x 300 mm



 **SS960A**
FOLDING SHOWER SEAT – ACCESSIBLE COMPLIANT SATIN STAINLESS STEEL WITH ALUMINIUM – SLATS POWDER COATED WHITE


Overall Size:
 960 x 400 mm



 **SS960S**
FOLDING SHOWER SEAT – ACCESSIBLE COMPLIANT SATIN STAINLESS STEEL WITH SOLID WHITE ACRYLIC DECK


Overall Size:
 960 x 400 mm



 **10-8203-M-AU**
FOLDING SHOWER SEAT – ACCESSIBLE COMPLIANT PHENOLIC IVORY

Phenolic seat is 8mm thick ivory colour top with black edges. Frame, support legs, flanges and bracket are type 304 satin finish stainless steel. Support arm folds up when in retracted position to provide low profile against wall. Guide bracket controls seat lowering into operating position.

Overall Size:
 970 x 395 mm



SS960BR
BARIATRIC FOLDING SHOWER SEAT WITH WHITE ACRYLIC DECK AND SATIN STAINLESS STEEL LEGS

Made for bariatric patients. Seat is slotted and slip resistant with rounded edges. It has a static load rating of 350kg.

Overall Size:
 960 x 400 mm



ASI JD MacDonald Pty Ltd
Free Call: 1800 023 441
Email: enquiry@asijdmacdonald.com.au
www.asijdmacdonald.com.au